

**UNISER**  
INDUSTRIES PVT. LTD.

# LED MR16 MODULES


DECONSTRUCTED LIGHTS: LAMP + FIXTURE + DRIVER

# MR16 Modules




## MODULES


MD02-06




Voltage	AC200-240V 50Hz
Power	6W CREE
LED	COB
Luminous Flux	370-420 lm
Efficiency	70 lm/W
Dimmable	Yes
CCT	<input type="radio"/> 2700K <input type="radio"/> 4000K <input type="radio"/> 3000K <input type="radio"/> 5000K



MD02-09




Voltage	AC200-240V 50Hz
Power	9W
LED	CREE COB
Luminous Flux	700-750 lm
Efficiency	80 lm/W
Dimmable	Yes
CCT	<input type="radio"/> 2700K <input type="radio"/> 4000K <input type="radio"/> 3000K <input type="radio"/> 5000K



## MODULES


MD02-13




Voltage	AC200-240V 50Hz
Power	13W CREE
LED	COB
Luminous Flux	950-1030 lm
Efficiency	80 lm/W
Dimmable	Yes
CCT	<input type="radio"/> 2700K <input type="radio"/> 4000K <input type="radio"/> 3000K <input type="radio"/> 5000K



MD02-17




Voltage	AC200-240V 50Hz
Power	17W CREE
LED	COB
Luminous Flux	1100-1200 lm
Efficiency	70 lm/W
Dimmable	Yes
CCT	<input type="radio"/> 2700K <input type="radio"/> 4000K <input type="radio"/> 3000K <input type="radio"/> 5000K






## MODULES


MD06-09



Voltage	AC200-240V 50Hz
Power	9W CREE
LED	COB
Luminous Flux	700-820 lm
Efficiency	88 lm/W
Dimmable	Yes
CCT	<input type="radio"/> 2700K <input type="radio"/> 4000K <input type="radio"/> 3000K <input type="radio"/> 5000K




MD06-09-D2W



Voltage	AC200-240V 50Hz
Power	9W
LED	Bridgelux COB
Luminous Flux	600-650 lm
Efficiency	72 lm/W
Dimmable	Yes
CCT	<input type="radio"/> 1800K-3000K





# FIXTURES





FIXTURES



CAA01-70



CAA01-70-S





CAA01-90



Ø90-95mm

25°

CAA01-90-S




Ø90-95mm

25°

FIXTURES

CAD01-90





Ø90-92mm

25°



CAD02-90




Ø92-95mm

25°






FIXTURES

CFD01-75





CFD01-75-54





FIXTURES


CFD01-90-54



CFD01-90-S




CFD01-90




Ø90-92mm

FIXTURES

CAF01




CAF02




FIXTURES

CG01-1




CG01-2





FIXTURES


CH01-1



Ø70-75mm



CH01-1-44




Ø70-75mm

IP44



FIXTURES


CH01-2





Ø70-75mm



CH01-3




Ø70-75mm




Ø70-75mm

FIXTURES



A001




A003




A002




A004



FIXTURES



CW01-90



To place your order, please contact

## **Uniser Industries Pvt. Ltd.**

### **HELPDESK DETAILS :**

414, Lotus House, 33-A V Thackersey Marg,  
New Marine Lines, Mumbai 400020, India

Tel: 022 22000515

Mob : +91 9867625686

[www.uniserledlights.com](http://www.uniserledlights.com)

Email : [projects@uniserledlights.com](mailto:projects@uniserledlights.com) | [support@uniserledlights.com](mailto:support@uniserledlights.com)